



GLUEJET® - the machine for perfect & profitable displays and packaging.

DON'T STICK TO HANDMADE

BICKERS GLUEJET® pushes profit and quality - automatically!

You know, your profit depends on costs per unit of each POS-display or packaging. Calculate again, because the GLUEJET® brings speed and quality to your production.

Extremely versatile, easily programmable for fast makeready and easy to operate, the XY-glueing table applies any kind of special glue - hot and cold, just according to your needs.

MAXIMUM FLEXIBILITY

High savings on glue and man-hours due to precise machine controlled application.

SAVES COSTS

Compared to glueing by hand, the GLUEJET® has the unbeatable advantage of a constantly high bonding quality and speed - regardless of the experience of your production team.

ACHIEVES HIGH QUALITY BONDING

The ergonomic design is user friendly for your employees. Your workers will love the GLUEJET®!

IS ERGONOMIC

At the same time, the GLUEJET® sets a constant production pace due to its clock-actuated output.

PRODUCES CONSISTENTLY



Sound like a PROFIT-MAKER?

We are happy to talk personally about your requirements.

By the way: We are building each GLUEJET® as an integrated solution for customers worldwide. More than 35 years of experience show, we from BICKERS are your glueing expert!



GLUEJET® Your "Jet" to PROFIT and PERFECTION!





GLUEJET® PAI2
with integrated hydraulic
lifting table: capacity 840 mm.



Hot melt applicator head HM-X* for precise bead and spray application.



Repositioning cylinders fix the product for a precise glue application.




GLUEJET® PI2
with integrated electro-mechanic
lifting table: capacity 350 mm.



Highest safety standards permit free access to the machine.



Cold glue applicator heads KR and KS* for hot/cold glueing in one cycle.



You can produce on up to four working places simultaneously.







Bickers GmbH
Leopoldstraße 15
D - 45139 Essen
Phone +49 (0)201 272553
Fax +49 (0)201 274912
sales@gluejet.com
www.gluejet.com